MISSOURI BOTANICAL GARDEN

PETER H. RAVEN LIBRARY



GEORGE ENGELMANN BOTANICAL NOTEBOOKS

Pagination Note:
Since many of the items lack a specific page number, the page number displayed online refers to the sequentially created number each item was given upon cataloging the materials.

Compositae

ex Benth. & Hook Gen. Plant. ~~t~~ vol II p. 163
1873
p. 163–533

Trib I **Vernoniaceae** gen 1–40 pag. 169
1. Euvernonieae g. 1–29 p. 223– Sparganophorus Vernonia Stokesia
2. Lychnophoreae g. 30–40 p. 234 Elephantopus

Trib. II **Eupatoriaceae** gen 41–75 pag. 171
1. Piquerieae g. 41–47 p 238
2. Agerateae g. 48–67 p. 240 Sclerolepis Trichocoronis Ageratum Hofmeisteria Stevia Eupatorium Mikania
3. Adenostyleae g. 68–75 p. 246 ~~Ad~~ Brickellia Liatris Carph

Trib. III **Asteroideae** gen 76–166 pag 174
1 Homochromeae g. 76–101 p. 249 Gymnosperma Gutierrezia Grindelia Chrysopsis Aplopappus Solidago Lessingia Bradburia Pentachaeta Aphantochaeta Heterotheca Bigelovia Ericameria Brachychaeta
H.
2 Grangeineae g. 102–107 p. 260
3. Bellideae g. 108–117 p. 261 Egletes Aphanostephus Keerlia
4 Heterochromeae 118–153 p. 265 Monoptilon Distasis Chaetopappa Psilactis Townsendia Boltonia Sericocarpus Aster Erigeron
5. Conyzeae 154–163 p 282 Conyza Chrysocoma
6 Baccharideae 164–166 p 286 Baccharis

Trib IV **Inuloideae** gen 167–308 pag. 180
1. Tarchonantheae 167–169 p. 288
2. Plucheineae 170–185 p. 289 Pluchea Tessaria Pterocaulon
3. Filagineae 186–196 p. 295 Psilocarphus Evax Micropus Diaperia Filago
4 Gnaphalieae 197–242 p. 300 Antennaria Leontopodium Gnaphalium Helichrysum Humea
5 Angiantheae 243–252 p. 318
6 Relhanieae 253–266 p. 322
7 Athrixieae 267–273 p. 327
8 Euinuleae 274–292 p. 330 Inula Pulicaria Carpesium
9 Buphthalmeae 293–308 p. 337

Trib V **Helianthoideae** gen 309–446 pag 189
1. Lagasceae 309 p. 342
2. Millerieae 310–320 p. 342 Lantanopsis Adenocaulon
3 Melampodieae 321–340 p. 346 Dicranocarpus Acanthospermum Polymnia Melampodium J. Gr. Chrysogonum Berlandiera L. Th. Parthen Engel
4. Ambrosieae 341–349 p. 352 Iva Hymenoclea Ambrosia Xanthium
5 Petrobiae 350–352 p. 355
6 Zinnieae 353–358 p. 356 Zinnia Sanvitalia Heliopsis.

14566

copyright reserved
MISSOURI BOTANICAL GARDEN

Trib V Helianthoideae gen 309–446

7. Verbesineae 359–415 p. 358 Siegesbeckia Eclipta Zaluzania Varilla Rudbeckia
Balsamorhiza Lipochaeta Wyethia
Viguiera Helianthus Encelia Helianthella
Actinomeris Verbesina

8. Coreopsideae 416–432 p. 382 Coreopsis Dahlia Thelesperma Cosmos
Bidens Coreocarpus

9 Galinsogeae 433–439 p. 390 Marshallia Blepharipappus Tridax
Baldwina

10 Madieae 440–446 p. 393 Wilkesia Madia Achyrachaena etc

Trib VI. Helenioideae gen 447–506 pag. 199

1 Jaumeae 447–452 p. 396 Venegazia

2 Baerieae 453–482 p. 398 Laphamia Perityle Burrielia Baeria Actinolepis
Whitneya Lasthenia Monolopia Riddellia
Hulsea Chaenactis Hymenopappus Bahia
Schkuhria Hymenothrix Amauria
Blennosperma Villanova Palafoxia
Rigiopappus

3 Flaverieae 483–485 p. 407 Sartwellia Flaveria

4 Tagetineae 486–499 p. 408 Porophyllum Nicolletia Dysodia
Hymenatherum Thymophylla Tagetes
Chrysactinia Pectis Clappia

5 Euhelenieae 500–506 p. 413 Helenium Gaillardia Actinella Hymenoxys
Trichoptilium Psathyrotes

Trib VII Anthemideae gen 507–551 p. 416 p. 203

Achillea Santolina Anthemis Leucampyx
Baileya Chrysanthemum Matricaria
Tanacetum Artemisia

Trib VIII Senecionideae gen. 552–595 p. 206

1. Liabeae 552–556 p. 435

2 Tussilagineae 557–563 p. 438 Tussilago Petasites Peucephyllum Luina

3 Eusenecioneae 564–589 p. 440 Arnica Doronicum Bartlettia Erechtites
Raillardella Cineraria Senecio × Tetradymia (Cacalia)

4 Othonneae 590–595 p. 451

Trib IX Calendulaceae gen 596–603 pag 209 & 453

Trib X Arctotideae gen 604–620 pag 210

1. Euarctoteae 604–611 p 456

2 Gorterieae 612–618 p 459

3 Gundelieae 619–620 p 461

Trib XI Cynaroideae gen 621–657 pag 211

1 Echinopsideae 621–22 p. 462

2 Carlineae 623–630 p. 463 Xeranthemum Carlina

3 Cardnineae 631–647 p. 466 Arctium Carduus Cnicus Cynara
Onopordon Saussurea

4 Centaureae 648–657 p. 475 Serratula Crupina Centaurea

Trib XII. Mutisiaceae gen 658 – 710 pag 214

1. Barnadesieae 658 – 659 . p 484

2. Onoserideae 660 – 669 – p. 485

3 Gochnaticae 670 – 686 p. 488 Hesperomannia

4 Gerbereae 687 – 696 p. 491 Chaptalia

5 Nassauvieae 697 – 710 p. 498 Perezia Trixis

Trib XIII. Cichoriaceae gen 711 – 766 pag 219

1. Scolymeae 711 p. 504

2 Dendroserideae 712 – 713 p 504

3 Hyoserideae 714 – 723 p 505 Catananche Cichorium Krigia

4 Lapsaneae 724 – 726 p 508 Phalacroseris Arnoseris Apogon

5 Rhagadioleae 727 – 731 p 509

6 Crepideae 732 – 737 p 511 Crepis

7 Hieracieae 738 – 740 p 516 Hieracium Andryala Malacothrix

8 Hypochoerideae 741 – 745 p. 518 Anisocoma Leontodon Troximon Taraxacum

9 Lactuceae 746 – 756 p 523 Pyrrhopappus Calycoseris Glyptopleura Chondrilla Lactuca Prenanthes Sonchus

10 Scorzonereae 757 – 766 p. 529 Pinaropappus Lygodesmia Tragopogon Scorzonera Scorzonella Stephanomeria

0 1 2 3 4 5 6 7 8 9 10
cm copyright reserved
MISSOURI
BOTANICAL
GARDEN

1851

Gray's Manual, Genera etc Dr. Brodt

Febr 1851

I Phaenogamicae Exogenae

A. Angiospermae

A. Polypetaleae

1. Ranunculareae
2. Magnoliareae
3. Anonareae
4. Menispermareae
5. Berberidareae
6. Cabombareae
7. Nelumbiareae
8. Nymphaeareae
9. Sarraceniareae
10. Papaverareae
11. Fumariareae
12. Cruciferae
13. Capparidareae
14. Resedareae
15. Violareae
16. Droserareae
17. Cistaceae
18. Hypericareae Parnassiaceae
19. Guttiferae
20. Elatinareae
21. Portulacareae Mesembryanthemaceae
22. Frankeniareae
23. Caryophyllareae c. Paronych.
24. Malvareae
25. Byttneriareae
26. Tiliareae
27. Ternstroemiareae
28. Linaceae Aurantiareae
Meliaceae
Cedrelaceae
29. Oxalidareae
30. Zygophyllareae
31 Geraniareae
32 Balsaminareae
33. Limnanthareae Tropaeolaceae
34 Rutareae
35. Xanthoxylaceae
36 Ochnareae
37 Anacardiareae
38 Vitareae
39. Rhamnareae
40 Celastrareae
41. Staphyleareae
42 Malpighiareae
43 Acerareae
44. Sapindareae & Hippocast
45. Polygalareae
46 Krameriareae
47. Leguminosae
48. Rosareae
49. Calycanthareae
51 Myrtareae
52. Melastomareae
53 Lythraceae
54. Rhizophoraceae
55. Combretaceae
56 Onagrareae
57. Loasareae
58. Turneraceae
59. Cactareae
60. Grossulaceae
61 Passifloraceae
62 Cucurbitareae Papayaceae
63 Crassulaceae
64 Mesembrianthemareae
65 Surianareae
66 Saxifragaceae
67 Hamamelaceae
68 Umbelliferae
69 Araliareae
70. Cornaceae

b. Monopetaleae

71. Caprifoliareae
72 Rubiareae
73 Valerianareae
74 Dipsareae
75. Compositae
    1. Tubuliflorae
    2. Labiatiflorae
    3. Liguliflorae
76 Lobeliaceae
77. Campanulareae
78 Ericareae
79 Aquifoliareae Epacridareae Pa
80 Sapotaceae
81. Ebenareae Styracaceae
82 Plantaginareae
83. Plumbaginareae
84 Primulareae Myrsinaceae
85. Lentibulariae
86 Orobanchareae
87. Bignoniareae Sesameae

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

14568

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI
BOTANICAL
GARDEN

Feb 1851

88. Acanthaceae
89. Scrophulariaceae
90 Verbenaceae
91. Labiatae
92 Borraginaceae
93 Hydrophyllaceae
94 Hydroleaceae
95. Polemoniaceae
96. Diapensiaceae
97. Convolvulaceae
98. Solanaceae
99. Gentianaceae
100 Loganiaceae (v. Rubiaceae?)
101 Apocynaceae
102 Asclepiadaceae
103. Jasminaceae
104 Oleaceae

~~105~~ C. Monochlamydeae s. Apetaleae

105 Aristolochiaceae 27 ~~Phytolaccaceae~~
106 Chenopodiaceae
107 Amaranthaceae
108 Phytolaccaceae
109 Nyctaginaceae
110 Polygonaceae
111 Lauraceae 28
112 Thymelaceae
113 Elaeagnaceae
114 Cytinaceae
115 Nyssaceae
116 Santalaceae
117 Loranthaceae
118. Ulmaceae
119 Saururaceae
120 Ceratophyllaceae
121. Callitrichaceae
122 Podostemaceae
123 Euphorbiaceae 29.30
124 Empetraceae Urticaceae
125 Juglandaceae Platan
126 Cupuliferae Jugland.
127 Myricaceae Cupulif
128 Betulaceae Myricac
129 Salicaceae Betulaceae
(130 Balsamifluae) Salicaceae
or Hamamelidaceae!
131 Platanaceae
132 Urticaceae
~~133 Conif~~ Forestiera. Garya

B. Gymnospermae

133 Coniferae

II. Phaenogamicae Endogenae

134 Palmaceae
135 Pandaneae
136 Araceae
137 Lemnaceae
138 Typhaceae
139 Najadaceae
140 Alismaceae
141 Hydrocharidaceae
142 Butomaceae
143 Burmanniaceae
144 Orchidaceae
145 Zingiberaceae
Scitamin.
146 Cannaceae
Marantaceae
147 Musaceae
148 Amaryllidaceae
149. Bromeliaceae
150 Haemodoraceae
Lachnanthes Lophiola
151. Iridaceae
152 Dioscoreaceae
153. Smilaceae Smilax Trillium
154 Liliaceae
155 Pontederiaceae
156 Melanthaceae
157. Juncaceae
158 Commelynaceae
159. Xyridaceae
160 Eriocaulonaceae
161 Cyperaceae
162 Gramineae

III Cryptogamicae

163 Equisetaceae
164 Filices
165 Lycopodiaceae
Isoetineae
166 Hydropterides
167 Musci
168 Hepaticae
169 Lichenes
170 Fungi
171 Characeae
172 Algae

Senecio Jacobaea L

Spr III 560
RII 458

Europ. Af. med. Am. bor.

Fr 1820

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
Missouri
Botanical
Garden

1.

Nov. 1858

Systema Vegetabilium
Candolleanum

I Cormophyta Endlicher.
1 Exogenae s. Dicotyledoneae
a Polypetaleae
Subclass I. Thalamiflorae DC

1. Ranunculaceae vol I p. 2
    1. Clematideae
    2. Anemoneae
    3. Ranunculeae
    4 Helleboreae
    5. Paeoniaceae
2. Dilleniaceae I. 67.
3. Magnoliaceae I. 77
4. Anonaceae I. 83
5 Menispermaceae — Schizandraceae Blume
6. Berberidaceae
    7. Podophyllaceae I. 111 }
8 Nymphaeaceae I. 113 — { Cabombaceae Richard / Nelumbiaceae Lindl. / Sarraceniaceae De la Pylaie

9. Papaveraceae I. 117.
10 Fumariaceae I. 125
11. Cruciferae I. 130
    Arabideae 132
    Alyssineae 156
    Thlaspideae 175
    Euclidieae 184
    Anastaticeae 185
    Cakilineae 185
    Sisymbreae 186
    Camelineae 201
    Lepidineae 202
    Isatideae 209
    Brassiceae 213
    Velleae 223
    etc.

0 1 2 3 4 5 6 7 8 9 10
cm copyright reserved
MISSOURI BOTANICAL GARDEN

14569

12 Capparidaceae I. 237
Resedaceae
13 Flacourtiaceae I. 255
14 Bixaceae I. 259
15 Cistaceae I. 263
16 Violaceae I. 287
17 Droseraceae I. 317
18 Polygalaceae I. 321

Parnassiaceae
Krameriaceae

19. Tremandraceae I. 343
20 Pittosporaceae I. 345
21 Frankeniaceae I. 349
22. Caryophyllaceae I. 351
  1. Sileneae 351
  2. Alsineae 388
23. Linaceae I. 423
24. Malvaceae I. 429
25 Bombaceae I. 475
26 Byttneriaceae I. 481
27 Tiliaceae I. 503
28 Elaeocarpaceae I. 519
29 Chlenaceae I 521
30 Ternstroemiaceae I. 523
31 Camelliaceae I. 529
32 Olacaceae I. 531
33 Aurantiaceae I. 535
34 Hypericaceae I. 541
35 Guttiferae I. 557
36 Marcgraviaceae I. 565
37. Hippocrateaceae I. 567
38. Erythroxylaceae I. 573
39. Malpighiaceae I. 577
40 Acerineae I 593
41 Hippocastanaceae I. 597
} = Sapindaceae
42 Rhizoboleae I. 599

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI
BOTANICAL
GARDEN

14570

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI
BOTANICAL
GARDEN

43.	Sapindaceae	I. 601
44	Meliaceae	I. 619
45	Ampelideae [Vitaceae]	I. 627
46	Geraniaceae	I. 637
47	Tropaeolaceae	I. 683
48	Balsaminaceae	I. 685
49.	Oxalidaceae	I. 689
50	Zygophyllaceae	I. 703
51	Rutaceae	I. 709
52	Simarubaceae	I. 733
53	Ochnaceae	I. 735
54	Coriariaceae	I. 739

Subclass II. Calyciflorae. DC

55	Celastraceae	II. 2
	Staphyleaceae	2
	Euonymeae	3
	Aquifoliaceae	11
56	Rhamnaceae	II. 19
57	Bruniaceae	II. 43
58.	Samydaceae	II. 47
59.	Homaliaceae	II. 53
60.	Chailletiaceae	II. 57
61	Aquilariaceae	II. 59
62	Terebinthaceae	II. 61
	Anacardieae	62
	Sumachineae	66
	Spondiaceae	74
	Burseraceae	75
	Amyrideae	81
	Pteleaceae	82
	Connaraceae	85
63.	Leguminosae	II. 93
	Papilionaceae	94
	Swartzieae	422
	Mimoseae	424
	Caesalpineae	473

4

63.	Leguminosae	II. 93
a.	Papilionaceae	94
1.	Sophoreae	94
2.	Loteae	115
	Genisteae	115
	Trifolieae	171
	Clitorieae	216
	Galegeae	243
	Astragaleae	273
3.	Hedysareae	307
	Coronilleae	308
	Euhedysareae	313
	Alhageae	352
4	Vicieae	353
5.	Phaseoleae	381
6	Dalbergieae	415
b. (7)	Swartzieae.	422
c (8)	Mimoseae	424
d.	Caesalpinieae	473
9.	Geoffreae	473
10	Cassieae	478
11	Dentarieae	521
64	Rosaceae	II. 525.
	Chrysobalaneae	525
	Amygdaleae	529
	Spiraeaceae	541
	Neurадeae	548
	Dryadeae	549
	Sanguisorbeae	588
	Roseae	596
	Pomaceae	626
65.	Calycanthaceae	III. 1
66	Granataceae [Punicaceae]	III 3
67	Memecyleae	III. 5
68	Combretaceae	III. 9

14572

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI
BOTANICAL
GARDEN

69.	Vochysiaceae	III. 25
70	Rhizophoraceae	III. 31
71.	Onagraceae	III. 35.
72.	Halorageae	III. 65
73.	Ceratophyllaceae	III. 73.
74	Lythraceae	III. 75
75.	Tamarscineae	III. 95
76.	Melastomaceae	III. 99
77	Alangiaceae	III. 203
78.	Philadelpheae	III. 205
79.	Myrtaceae	III. 207
80	Cucurbitaceae	III. 297
81	Passifloraceae	III. 321
82	Loasaceae	III. 339
83	Turneraceae	III. 345
84.	Fouquieraceae	III. 349
85.	Portulacaceae	III. 351
86.	Paronychiaceae	III. 365
87	Crassulaceae	III. 381
88	Mesembrianthemaceae (Ficoideae)	III. 415
89	Cactaceae	III. 457
90	Grossulariaceae	III. 477
91.	Saxifragaceae	IV. 1
92	Umbelliferae	IV. 55
	a. Orthospermae	
	1. Hydrocotyleae	58
	2 Mulineae	78
	3. Saniculeae	82
	4 Ammineae	98
	5 Seselineae	135
	6 Angeliceae	164
	7. Peucedaneae	170
	8 Tordylineae	196
	9 Silerineae	199
	10. Cumineae	200

14573

92. Umbelliferae IV. 55
  a Orthospermae
    11 Thapsieae 202
    12. Daucineae 208
  b. Campylospermae
    13 Elaeoselineae 215
    14 Caucalineae 216
    15 Scandicineae 220
    16 Smyrneae 233
  c. Coelospermae
    17. Coriandreae 249
93 Araliaceae IV. 251
94. Hamamelaceae IV. 267
95. Cornaceae IV. 271
96 Loranthaceae IV. 277

b. Gamopetaleae

97. Caprifoliaceae IV. 321
98. Rubiaceae IV. 341
99 Valerianaceae IV. 623
100 Dipsaceae IV. 643
101 Calycereae V. 1
102 Compositae V. 4
  I. Vernoniaceae V. 9
    1. Vernonieae 10
    2. Pectideae 94
  II. Eupatoriaceae 103
    1 Eupatorieae 104
    2. Tussilagineae 204
  III. Asteroideae 211
    1. Asterineae 213
    2 Baccharideae 368
    3. Tarchonantheae 429
    4 Inuleae 462
    5. Buphthalmeae 483
    6 Eclipteae 488

14574

102.		Compositae	V. 4
	IV.	Senecionideae	V. 497
	1.	Melampodineae	500
	2.	Heliantheae	534
	3.	Flaverieae	634
	4.	Tagetineae	638
	5.	Helenieae	651
	6.	Anthemideae	VI. 1
	7	Gnaphalieae	149
	8.	Senecioneae	292
	V.	Cynareae	VI. 449.
	1.	Calenduleae	451
	2.	Arctotideae	484
	3.	Echinopsideae	522
	4.	Cardopateae	527
	5.	Xeranthemeae	528
	6.	Carlineae	531
	7.	Centaurieae	557
	8.	Carthameae	609
10	9.	Silybeae	615
11.	10	Carduineae	617
9	11	Serratuleae	662
	VI.	Mutisiareae	VII. 1
	1.	Mutisieae	1
	2	Lerieae	40
	3	Facelideae	45
	VII	Nassauviareae	VII. 48
	1	Nassauvieae	48
	2	Trixideae	54
	VIII.	Cichoraceae	74
	1	Scolymeae	75
	2.	Lampsaneae	76
	3	Hyoserideae	78
	4.	Hypochaerideae	90
	5	Rodigieae	98

copyright reserved
MISSOURI BOTANICAL GARDEN

102.	Compositae V. 4.		
	VIII. Cichoraceae	VII.	74
	6 Scorzonereae		99
	7. Lactuceae		133
	8 Hieracieae		198
103	Stylidiaceae	VII.	331
104.	Lobeliaceae		339
105	Campanulaceae		414
106	Cyphiaceae		497
107	Goodenoviaceae		502
108	Roussaeaceae		521
109	Gesneriaceae		523
110	Sphenocleaceae		548
111.	Columelliaceae		549
112	Napoleonaceae		550
113.	Vacciniaceae		552
114	Ericaceae		580
115	Epacridaceae		734
116.	Pyrolaceae		772
117.	Francoaceae		777
118.	Monotropaceae		779

Subclass. III. Corolliflorae DC

119.	Lentibulariaceae	VIII.	2
120	Primulaceae		33
121	Myrsinaceae		75
122.	Aegicerareae		141
123.	Theophrastaceae		144
124	Sapotaceae		154
125.	Ebenaceae		209
126	Styracaceae		244
127	Oleaceae		273
128	Jasminaceae		300
129	Apocynaceae		317
130	Asclepiadaceae		490

14576 8.

131.	Loganiaceae	IX. 1.
132.	Gentianaceae	38
133.	Bignoniaceae	142
134	Sesamaceae	249
135	Cyrtandraceae	258
136	Hydrophyllaceae	287
137	Polemoniaceae	302
138	Convolvulaceae	323.
139	Erycibeaceae	463.
140	Borraginaceae	466. & X. 1.
141.	Hydrophyllaceae	X. 179.
142	Solanaceae	XIII. 1
143	Scrophulariaceae	X. 186
	1. Salpiglossideae	190
	2. Antirrhinideae	203
	3. Rhinantideae	423.
144.	Orobanchaceae	XI. 1
145	Acanthaceae	46
146.	Phrymaceae	520
147	Verbenaceae	522
148	Myoporaceae	701
149	Selaginaceae	XII. 1
150	Labiatae	27
	1. Ocimoideae	30
	2. Satureieae	148
	3. Monardeae	260
	4. Nepeteae	368
	5 Stachydeae	407
	6 Prasieae	550
	7 Prostanthereae	557
	8 Ajugea~~deae~~	571
151	Stilbaceae	XII. 605
152	Globulariaceae	609
153	Brunoniaceae	615
154	Plumbaginaceae	617

155	Plantaginaceae	XIII. 693

Subclass IV. Monochlamydeae DC.

156	Phytolaccaceae	XIII. 2. pag 2
157	Salsolaceae	41
158	Basellaceae —	220
159.	Amaranthaceae	231
160.	Nyctaginaceae	425.